

Research Report: Midfrontal Theta transcranial Alternating Current Stimulation modulates behavioural adjustment after error execution

Gabriele Fusco^{1,2,*}, Michele Scandola³, Matteo Feurra⁴, Enea F. Pavone^{1,2}, Simone Rossi⁵, Salvatore M. Aglioti^{1,2,*}

¹ Department of Psychology, University of Rome “Sapienza”, via dei Marsi 78, 00185, Rome, Italy

² IRCCS Fondazione Santa Lucia, IRCCS, via Ardeatina 306, 00179, Rome, Italy

³ NPSY.Lab-Vr, Department of Human Sciences, University of Verona, Lungadige Porta Vittoria 17, 37129, Verona, Italy

⁴ School of Psychology, Centre for Cognition and Decision Making, National Research University Higher School of Economics, Russian Federation, Moscow, Russia

⁵ Unit of Neurology and Clinical Neurophysiology, Brain Investigation & Neuromodulation Lab, Department of Medicine, Surgery and Neuroscience, and Human Physiology Section, Siena University, Siena, Italy

⁶ Braintrends ltd, Applied Neuroscience, Rome, Italy

*Corresponding Authors

Addresses:

Sapienza Università di Roma - Dipartimento di Psicologia - Via dei Marsi, 78, 00185, Rome, Italy.

IRCCS Fondazione Santa Lucia Via Ardeatina, 306/354, 00142 Rome, Italy.

Corresponding Authors:

Gabriele Fusco; SCNLab, Department of Psychology Sapienza University of Rome; IRCCS Fondazione Santa Lucia, Rome, Italy, gabriele.fusco@uniroma1.it

Salvatore Maria Aglioti; SCNLab, Department of Psychology Sapienza University of Rome; IRCCS Fondazione Santa Lucia, Rome, Italy, salvatoremaria.aglioti@uniroma1.it

Abstract

Cognitive control during conflict monitoring, error processing and post-error adjustment seems associated to the occurrence of midfrontal theta (MF Θ). While this association is supported by correlational EEG studies, much less is known about the possible causal link between MF Θ and error and conflict processing. In the present study we aimed to explore the role of band-specific effects in modulating the error system during a conflict resolution. To this purpose we delivered transcranial alternating current stimulation (tACS) at different frequency bands (delta δ , theta θ , alpha α , beta β , gamma γ) and sham stimulation over the medial frontal cortex (MFC) in 36 healthy participants performing a modified version of the Flanker task. Task performance and reports about the sensations (e.g. visual flickering, cutaneous burning) induced by the different frequency bands, were also recorded. We found that online θ -tACS increased the response speed to congruent stimuli after error execution with respect to sham stimulation. Importantly, the accuracy following errors did not decrease because of speed-accuracy tradeoff. Moreover, tACS evoked visual and somatosensory sensations were significantly stronger at α -tACS and β -tACS compared to other frequencies. Our findings suggest that theta activity plays a causative role in modulating behavioral adjustment during perceptual choices in a stimulus-response conflict task.

Keywords

transcranial Alternating Current Stimulation (tACS), Midfrontal theta (MF Θ), Post-Error Slowing (PES), Performance Monitoring, Cognitive Control

Running Title: θ -tACS modulates post-error adaptation

Total pages number : 36

Total figures number: 3

Total tables number: 2

Total words number (the whole manuscript): 8386

Total words number (abstract): 202

Introduction

The complexity that characterizes our decisions and actions may cause conflicts and lead to an erroneous performance in a variety of circumstances. Conflict and error monitoring are two distinct but intimately connected aspects of cognitive control which are called into play when two mutually responses are activated and a mismatch between intended and actual responses is detected (Botvinick et al., 2001; Holroyd & Coles, 2002). These two cognitive components represent an essential requisite for efficiently driving human behavior.

Control mechanisms that prevent repetition of errors and allow adaptive changes of performance seemed to be underpinned by specific cortical networks centered upon the frontal regions (Yeung et al., 2004; Reinhart & Woodman, 2014). Post-Error Slowing (PES), i.e. the reduced response speed following execution of an error, is a classical example of behavioral adaptation that drives one to implement a prudent, conservative response strategy (Rabbitt & Rodgers, 1977). Such self-regulative process minimizes the likelihood that an error is repeated later in a sequence (Danielmeier & Ullsperger, 2011).

Recent electroencephalographic (EEG) and neuroimaging studies in human and non-human primates indicate that the medial frontal cortex (MFC) may represent a computational hub for cognitive control connected to different neural systems involved in sensory, emotional, motivational and social processing (Ridderinkhof et al., 2004; Cohen, 2011). This hub may play a pivotal role in the top-down modulation of behavior (Hayward et al., 2004; Rushworth et al., 2005; Cohen et al., 2013). Theta-band (θ , 4-7 Hz) is a rhythmic endogenous oscillation recorded across several areas of the brain and associated with high-order cognitive functions (Raghavachari et al., 2006; Nigbur et al., 2011; Cavanagh & Frank, 2014; Solomon et al., 2017). Enhancement of theta activity can be recorded along the frontal midline cortex during conflict, error and top-down adjustment of behaviour (Luu et al., 2004; Cohen et al., 2008; Cavanagh & Shackman, 2015; van Noordt et al., 2018). These electrocortical oscillations, named midfrontal theta (MF θ), may act as an endogenous

synchronizer when control is requested (Cavanagh & Frank, 2014). In addition, evidence from EEG shows that MF θ increases over the MFC (especially under the FCz electrode position) when the resolution of a conflict-related task is required, e.g. in the Flanker and Stroop tasks (Cohen et al., 2008, 2013; Taylor 2007). This result led scholars to theorize that MF θ is a sort of *lingua franca* (Cavanagh et al., 2012) through which adaptive adjustment is implemented in situations where stimulus-response conflicts experimentally arise (Van Noordt et al., 2016). Therefore, the role of frontal neural computations based on theta oscillations would seem to be associated with cognitive control. However, due to the correlational nature of the aforementioned findings, it is not completely clear if MF θ would reflect an active mechanism for communicating detailed information to distal areas involved in top-down control, a generic alarm signal or solely an epiphenomenon generated by different processes that occur within the brain (Cavanagh & Frank, 2014). In this sense, modulating the medial frontal cortex in theta frequency may be an innovative approach to shed a new light on this issue.

Transcranial Alternating Current Stimulation (tACS) is a non-invasive modulatory technique that allows to test the interaction between the phase oscillation of stimulation and the endogenous oscillatory activity of the brain (Paulus et al., 2011; Antal et al., 2013; Hermann et al., 2013). The stimulation can be applied topographically using all the frequency bands that characterize the cortical rhythmic activity (delta δ , theta θ , alpha α , beta β and gamma γ) and thus serves as an effective tool for causally testing the correlational evidence of EEG studies and the related behavioral outcomes. Studies indicate that tACS may influence the membrane excitability of neuronal populations causing i) oscillatory entrainment and behavioral changes in a frequency-specific manner (Santarnecchi et al., 2013, 2015; Helfrich et al., 2014), ii) somatosensory and visual sensations (Feurra et al., 2011a; Kanai et al., 2008; Schutter et al., 2010) and iii) visuomotor coordination (Santarnecchi et al., 2017).

In the present study we explored and tested, the causative role of MF θ in modulating adaptive control during conflict monitoring and error processing. To this aim, we applied tACS at

different frequencies over the MFC of healthy participants while they performed a Flanker-like task where the choice to press a button in response to a central target letter (e.g. H or S) in a string of five is influenced by whether such letter is flanked by same (H and S) or different (S and H) letters. Given the conflict generated by the activation of response competition associated with the letters arrangement, optimal performance in this task requires the integration of perceptual processing, response selection, action inhibition and error monitoring. Using distinct frequency bands, we aimed at testing any specific role of MF Θ in the neural network underpinning conflict and error processing. We hypothesized that delivering an oscillatory current at theta frequency over the MFC - the putative source of endogenous theta- would modulate the response times needed to exert behavioral adjustment and control.

Materials and Methods

Participants

36 healthy, right-handed participants (18 F; mean \pm SD.; 24.42 \pm 3.48) were tested in a Flanker-like task (Eriksen & Eriksen, 1974) while receiving tACS at different frequency bands. None of the participants reported history of epilepsy, implanted metal devices, neurological or psychiatric diseases and consumption of any medication. All participants had normal or corrected-to-normal visual acuity in both eyes, and were naïve to the purposes of the study. The experimental protocol was approved by the ethics committee of the Fondazione Santa Lucia and was carried out in accordance with the ethical standards of the 2013 Declaration of Helsinki. All participants gave their written, informed consent to take part in the study and were paid 15€ for approximately one and a half hours of participation.

Task

The task required participants to respond as accurately and as fast as possible to target letters (H or S) embedded in a string of distractor letters, by pressing the correspondent button on a PC keyboard (the order of the two keys was counterbalanced across participants). Targets were flanked by two distractors, on each side, that could be the same or different with respect to the target. The four possible target-distractor combinations, produced two congruent (HHHHH; SSSSS) conditions (CC) and two incongruent (HSHSH; SSHSS) conditions (IC). Due to the inherent target- distractor conflict, reaction times (RTs) were expected to be slower and the accuracy (Acc, rate of correct answers) were expected to be lower in IC than in CC (flanker effect). To make the task more challenging, the target stimuli were depicted in white, green or red color (Fig.1A). For each experimental block, participants were asked to mentally count the number of the colored target letters while performing the Flanker (e.g. “For this block please count mentally only the green colored target H”). At the end of each block, participants were invited to report the total number of the colored stimuli presented during the block. The letter strings (visual angle of 8.17° horizontally and 1.63° vertically) appeared for 80 milliseconds (msec) on a black screen of a 40.5 x 33cm computer monitor and participants were to respond in a time window of 920 msec. A fixation cross was visible for 1000 msec between the presentation of each subsequent stimuli. In the trials where the response was not provided within 500 msec, a beep sound (1000Hz) delivered through a pair of headphones warned participants to answer quicker in the following trials. If participants failed to press the key during the available time, the visual feedback “Non hai risposto” (“You did not answer”) appeared in the center of the screen (Fig. 1B). A training session of 40 trials (20 CC and 20 IC) was administered before the experimental phase. The task was developed through E-prime 2.0 software (Psychology Software Tools Inc., Sharpsburg, PA, USA).

Transcranial Alternating Current Stimulation (tACS)

The alternating current (AC) modulation was provided via two circular sponge-conductive-rubber electrodes (Sponstim, 25cm², Neuroelectronics, Barcelona, Spain) soaked in a physiologic solution (NaCl). A rechargeable battery-operated stimulator system (Starstim/Enobio, Neuroelectronics, Barcelona, Spain) controlled by Bluetooth connection was used. The target ‘active’ electrode was placed over the MFC (FCz of the International 10-20 System) and the second ‘return’ electrode was placed over the medial parietal cortex (Pz of the International 10-20 System; Fig. 1D). This electrode arrangement was shown to successfully modulate frontal theta oscillations in healthy population (Vosskuhl et al., 2015). Both the electrodes were placed to the scalp through an EEG cap. To optimize the current flowing through the skin and scalp, the surface of electrodes was smeared with electro-conductive gel. The waveform of current was sinusoidal without DC offset and 0° relative phase. The impedance was kept below 5kΩ.

tACS was applied during task performance and for each block it was ramped up for the first 5s after which the task was followed by a 5s ramping down at the end of the block (Fig. 1C). The current intensity administered was set at 1500uA peak-to-peak. A frequency-dependent protocol was adopted (Feurra et al., 2011b; Santarnecchi et al., 2013; 2017). Specifically, five different frequencies tACS blocks: 2Hz for the delta band (δ), 6Hz for the theta band (θ , Cavanagh & Frank, 2014; Cohen, 2014), 11Hz for the alpha band (α), 21Hz for the beta band (β) and 60Hz for the gamma band (γ) and a sham stimulation (<>) block were delivered in a pseudo-randomized order. In addition to the sham, we decided to adopt a control frequency for each band in order to determine with more accuracy the specificity of the possible tACS effects applied in theta range in modulating top-down control during the Flanker. Sham stimulation lasted 15 seconds (5 seconds of ramp-up and 5 of AC) and then the AC was manually interrupted by the experimenter (5 seconds of ramp-down, Fig. 1D). This procedure was congenial to generate the same neurosensory perceptions of the real stimulation conditions over the participants’ skin (Nitsche et al., 2008). The frequency adopted for the sham-tACS was the same of the previous stimulation

block (e.g. III block: α -tACS frequency 11Hz, IV block: γ -tACS frequency 11Hz; I block: γ -tACS frequency 60Hz, II block α -tACS frequency 60Hz, and so on).

Please insert Figure 1 near here

Procedure

Participants were invited to seat ~70cm distant from the PC monitor in a quiet room and were asked to fill the Edinburgh Handedness Questionnaire (Oldfield, 1971), the form with the criteria for being included in neurostimulation studies (Rossi et al., 2008) and three different scales, namely the *State-Trait Anxiety Inventory Form Y* (STAI-Y, the Trait scale, Spielberger, 2010), the *Behavioral Inhibition and Activation Scales* (BIS/BAS, Carver & White, 1994) and the 16-item reduced form of the *Need for Closure Scale* (NCC Roets & Van Hiel, 2011). It is worth nothing that previous studies reported how conflict and error monitoring could be influenced by affective processes such motivational, trait-anxiety and negative emotions (Amodio et al., 2008).

After participants completed the surveys, their scalp was measured to localize the FCz and Pz positions of the International 10-20 System (respectively 10% forward and 20% backward the vertex Cz of the nasion-inion axis length). The areas of interest were cleaned with a cotton swab soaked in ethyl alcohol in order to reduce the skin resistance and tracked with a marker. Then, the two electrodes were fitted through an EEG-cap over the head of participants and fixed with a Velcro belt.

To familiarize with the device and set-up, a trial session of tACS was provided. Subsequently, participants were asked to relax and focus their attention to any sensation that could be felt (e.g. itching or burning) and seen (e.g. flashing or flickering) during tACS. The stimulation lasted 15

seconds (5s ramp-up, 5s AC and 5s ramp-down) and was set at 750uA intensity and 13Hz frequency.

Following this phase, the task was introduced and the training session started. In the experimental phase we turned off the room light. For each block, 108 stimuli (54 CC and 54 IC) were randomly presented at the center of the PC monitor in correspondence of the fixation cross. Participants performed in six different blocks each of which lasted ~240s with an inter-block interval of ~300s (total number of trials 648).

Finally, at the end of each stimulation block we asked participants to report any tACS-induced discomfort and any sensation that might have occurred in the block. In this regard, it has been previously reported that during electrical brain modulation some sensorial, perceptual and physical effects might arise due to the current propagation within the scalp, skin, retina and nerves (Fertonani et al., 2015). In light of this, participants were required to assess sensations along a 0-100 scale (0 no sensation at all – 100 max sensation perceived) of the following categories: *Somatosensory* (i.e. the skin sensations perceived under the electrodes area such as itching, heating, tingling, burning and pricking); *Visual* (i.e. the perceptual phenomena appearing in the central or peripheral visual field like flickering, and the presence of flashes and bright dots); *Taste* (i.e. the metallic sensation in the mouth) and *Other sensations* (i.e body- and vestibular-related sensations like fatigue, dizziness, head heaviness, nausea, headache, sleepiness).

Data Analysis

Statistical analyses were performed in the R environment for statistical computing (R Development Core Team, 2017) using the *lme4* package (Bates et al., 2014). P-values and degrees of freedom were computed through the Kenward-Roger approximation. This statistical methodology has been used in neuroscience and psychology research by other (e.g., Rahnev et al., 2016) and our own research groups (Ponsi et al., 2016).

Reaction times (RTs in ms) on the correct trials and speed-accuracy tradeoff (SAT) were analyzed using linear mixed models for a 6 x 2 factorial design with Frequency (δ , θ , α , β , γ , $\langle \rangle$) and Condition (congruent vs incongruent) as fixed factors. SAT (RTs/Acc) has been commonly described as a function of the covariation between response speed (RTs) and accuracy (Acc) reflecting strategy preferences in time-forced decision tasks (Heitz, 2012). Therefore, in the present study, we asked the participants to be as quick and accurate as possible so that the SAT could express an individual index of the general performance (e.g. poor performance: fast RTs/low Acc vs good performance fast RTs/high Acc). As random effects, we considered a random intercept and the random slopes for Condition and Frequency for each participant, in order to take into account the within-subjects noise. Furthermore, the plausible effects of fatigue were treated considering as random an intercept for each level of Order. In an “lme4-like syntax” model was: *SAT (or RT) ~ Frequency * Condition + (1 + Condition + Frequency|Participant) + (1|Order)*.

The accuracy (i.e. number correct responses) was analyzed by means of a logit mixed model for binomial dependent variables where 0 referred to errors and 1 to correct responses. We used as fixed factors the Frequency and the Condition, whereas the intercept of the Participant as random factor. For the post-error slowing (PES), we used as fixed effects the Frequency, the Condition post-error (CPost: congruent vs incongruent) and their interaction. As random effects we used an intercept and the order of the block to capture fatigue-related noise for each level of Frequency, and an intercept and the slopes for CPost, Frequency and the number of errors in z-scores for each Participant. In an “lme4-like syntax” model was: *PES ~ Frequency * Condition + (1 + Condition + z(Errors)|Participant) + (1 + Order|Frequency)*. The selection of the random effects was done in order to take into account the whole within-subjects variability and the possible effects of the number of errors and fatigue. Because this analysis is crucial for the present study, we also computed the bootstrapped p-values of each effect with 5000 iterations to confirm significant results. In this sense, bootstrap analysis is particularly suggested for linear mixed effect models to demonstrate the robustness of the findings (Efron & Tibshirani, 1994).

For each participant, outlier values were removed from all the dataset through the interquartile rule. The subjective effects induced by the stimulation in the different bands were analyzed through repeated measures-ANOVAs with sphericity correction considering Frequency and Secondary Effects as factors. The type of sensation (Sub-Category factor) had as levels Visual, Cutaneous, Taste and Others. Then, for each category, additional ANOVAs with sphericity correction were conducted taking into consideration their sub-categories (*Visual*: Flash, Bright dots, Flickering; *Somatosensory*: Itching, Tingling, Prickling Heat, Burning; *Other Sensations*: Fatigue, Dizziness, Heaviness, Headache, Sleepiness, Nausea). The Taste sensations were close to zero and were not analyzed.

Further, we performed covariation analyses (ANCOVAs) in order to test possible associations between the performance variables (e.g., RTs, Acc, SAT), the tACS-induced secondary effects) and the scores obtained from the personality questionnaires. Covariation analyses were conducted by means of linear mixed models (RTs, SAT) or logit mixed models (Acc) with the abovementioned Fixed and Random effects, adding the covariates of interest among the Fixed effects. For each performance variable we covaried the impact of personality scores and the impact of tACS-induced sensations in separate analyses. Personality scores and tACS-induced sensations were scaled in a -1;1 range in order to have zero-centred covariates and avoid spurious results. Post-hoc comparisons were performed using the Bonferroni and Tukey correction for multiple comparisons.

Since our hypothesis was mainly related to the effect of θ -tACS in modulating the response times needed to exert behavioral adjustment and control, we report the results of ACC, SAT and tACS-induced sensations in the Supplementary Materials (please see the Supplementary File).

Results

Reaction Times (RTs)

Data was normally distributed (kurtosis = 0.23; skewness = 0.76). The analysis showed a main effect of Condition ($F_{1,209.9} = 110.74$; $P < 0.001$) with faster responses to congruent (435.78 ± 49.41) vs incongruent (466.47 ± 48.46) stimuli (please see the Supplementary Fig. S1 for the data plot). The main effect of Frequency ($F_{5,37.682} = 0.806$; $P > 0.05$) and the interaction Frequency x Condition ($F_{5,175.000} = 1.043$; $P > 0.05$) were not significant. Furthermore, a main effect of the tACS-induced sensations ($F_{1,117.17} = 4.399$; $P < 0.05$) as covariate emerged from the covariance analysis. In particular, the higher the participants evaluated the effect of the tACS-induced sensation, the faster the RTs. This relation did not depend on the Frequency ($F_{5,40.423} = 1.093$; $P > 0.05$) of tACS. No other covariates reached the significance (all $P > 0.05$). The whole model had a mean squared error (MSE) = 8.09, marginal $R^2 = 0.08$ and a conditional $R^2 = 0.96$.

Post-Error Slowing (PES)

We calculated the PES index by means of the following formula:

$$PES = MRT_{\text{post-error}} - MRT_{\text{post-correct}}$$

where $MRT_{\text{post-error}}$ is the mean of the reaction times of correct trials after errors and $MRT_{\text{post-correct}}$ is the mean of the reaction times in post-correct trials (Danielmeier and Ullsperger, 2011). Data was normally distributed (kurtosis = 0.13; skewness = 0.08). The analysis showed a main effect of CPost ($F_{1,353} = 7.482$; $P = 0.006$; $P_{\text{bootstrapped}} < 0.001$) whereby participants were faster in congruent (8.38 ± 72.4) rather than in incongruent (Post: 37.43 ± 71.51) stimulus combination after errors. A significant interaction Frequency x CPost ($F_{1,1979.67} = 2.562$; $P = 0.026$; $P_{\text{bootstrapped}} = 0.025$) emerged in the linear mixed model. In particular, the Bonferroni post-hoc revealed a significant difference between θ -tACS (3.07 ± 42.18) and sham (22 ± 34.8 ; $P = 0.042$) in

response to congruent stimuli following errors (Fig. 2). Importantly, the differences between sham and the other frequencies did not reach the significance (sham vs δ : $P=0.111$; α : $P=0.248$; β : $P=0.323$; γ : $P=0.164$). No effect for Frequency was significant ($F_{5,2152.19} = 1.932$; $P > 0.05$). Additional analysis by means of a logit mixed model computed on the accuracy following errors showed a main effect for Condition ($\chi^2_{(1)} = 5.06$; $P=0.024$). Results revealed that participants were more accurate in responding to congruent (0.92 ± 0.13) compared to incongruent (0.88 ± 0.16) post-error stimuli. Marginal $R^2 = 0.15$ and conditional $R^2 = 0.56$. No covariance effects reached the statistical significance ($P > 0.05$).

Finally, although the difference with the sham was not significant, looking at the sample averages (Fig. 2), it seems that β -tACS modulated post-errors lowering through reducing the time to respond to congruent stimuli following error execution as it happened during θ -tACS. To test whether such effect might be also related to β -tACS, we removed from the linear mixed model the theta frequency. The analysis showed that by removing this condition, the CPost effect was still significant ($F_{1,28.9} = 31.5$; $P < 0.001$), while the frequency main effect ($F_{4,24.896} = 0.955$; $P=0.449$) and their interaction ($F_{4,24.362} = 0.95$; $P=0.452$) were not.”.

Please insert Figure 2 near here

Personality Questionnaire

Data collected through the questionnaires (STAI-Y, BIS/BAS, NCC) were used as covariates in order to measure any possible relation between the dependent variables of the task

(RTs, Acc, SAT, PES) and the personality traits. The analysis showed no effects for any of the aforementioned factors (all $P > 0.05$, see Tab.1).

Please insert Table1 near here

Discussion

In the present study we applied band-specific transcranial Alternating Current Stimulation (tACS) over the medial frontal cortex (MFC) to explore the interaction of exogenous frequency bands with task-related endogenous band-specific activity. By expanding on studies that applied θ -tACS over the frontal cortex to modulate endogenous oscillations (Sela et al., 2012; Van Driel et al., 2015; Vosskhul et al., 2015; Wischnewski et al., 2016), we have been able to show for the first time, a difference in the post-error slowing (PES) when participants received external electrical current in the theta frequency compared to the sham condition. Specifically, θ -tACS allowed participants to preserve the response threshold increment (i.e. reduced post-error slowing) after error execution in the congruent condition in the presence of the same level of accuracy at baseline (sham). Above all, the transcranial application of alternating current did not significantly affect any other behavioural performance (i.e. RTs, ACC and SAT) in a frequency- dependent manner. This result may highlight the specificity of θ -tACS in modulating behavioural adjustment

Moreover, in order to test the influence of tACS-induced secondary effects on behaviour, we collected the subjective experience of physical sensations elicited during the stimulation. Both α - and β -tACS elicited more intense visual and somatosensory phenomena with respect to the other frequencies. Although a general inverse association emerged between reaction times and the scores provided by the participants, these sensations did not impact the Flanker performance at all.

Electrocortical signatures of performance monitoring

Electroencephalic (EEG) studies suggest that neuro-electrical signatures in the time and time-frequency domains index error and conflict monitoring (Pavone et al., 2016; Spinelli et al., 2018; Pezzetta et al., 2018). Error Related Negativity (ERN) (Falkestein et al., 1991; Gehring et al., 1993) is an event related potential evoked when people perform or observe an error (Pavone et al., 2016; Spinelli et al., 2018) and partly associated with behavioral adjustment (for a review see Gehring, 2012). The same process seems also to be indexed by a specific spectral signature in the theta band, a frequency activity recorded along the frontal midline and that correlates with the need for enhanced cognitive control (Cohen et al., 2013; Luu et al., 2004; Trujillo & Allen, 2007). So far, EEG studies have provided only correlational evidence that MF θ may be a marker of error and conflict monitoring (Nigbur et al., 2011; Vissers et al., 2018). However, it remains not completely clear whether MF θ is causally associated with the representational stimulus-response mismatch, the communicational level of oscillatory signals among brain areas or just with the implementation of behavioral adaptation (Cavanagh & Frank, 2014; Cohen, 2014). A first attempt to solve this issue, was provided by Van Driel and collaborators (2015) who administered tACS at the individual theta frequency over the MFC of healthy participants while they were required to perform a Simon task. By analyzing the congruency sequence effect, a measure associated with behavioral adjustments, these authors found a slowed response mode in low conflict trials when theta rather than alpha stimulation was applied. Thus, midfrontal theta involvement in conflict processing may have led to

a more precautionary approach resulting in slower RTs during conflict adaptation (Van Driel et al., 2015). Expanding on this study we tested the hypothesis of a change in conflict and error processing in a Flanker-like task by delivering exogenous 6Hz theta stimulation on the MFC. The results did not show a general influence of tACS on the conflict monitoring, but a specific modulation of θ -tACS on the post-error slowing computation. In fact, participants showed a shorter PES during theta stimulation compared to the sham condition for the congruent stimuli that followed errors. This effect may lead to a less conservative response mode. The discrepancy between our results and those shown by Van Driel and colleagues (2015) may rely on some methodological and conceptual differences that deserve to be discussed. First, although both measures reflect adaptive control, the “congruency sequence effect” is a behavioral index related to conflict-driven adaptation mechanisms (Gratton et al., 1992). In contrast, “post-error slowing” is a behavioral marker of error-driven adjustments (Rabbitt & Rodgers, 1977) and thus the two indexes may underlie distinct neural and behavioral mechanisms in information coding (Notebaert et al., 2011) . Second, the administration of different tasks (Simon vs Flanker), the choice of different electrodes size and their arrangement, the physical parameter of the administered alternating current (e.g. frequency and amplitude) may lead to a different influence on the targeted cortical networks and to a different pattern of outcomes. Tellingly, rather than being mutual exclusive the results of the two studies may be considered complementary and useful to understand the causative role of frontal theta oscillations in exerting top-down behavioral adjustment and modulating adaptive control. It is worth noting that, following the monitoring conflict account of Botvinick and colleagues (2001), the post-error slowing is the adaptive mechanism indexed by behavioral adjustments in forced-choice decision tasks that may facilitate top-down control (Botvinick et al., 2001; Danielmeier & Ullsperger 2011). In the same vein, Cavanagh & Shackman (2015) conducted a meta-analysis where they reported how the amount of MF θ could predict the level of behavioral slowing after error execution; in specific, the larger error-related MF θ signals the higher the number of subsequent errors (Cavanagh & Shackman, 2015). However, in our study we found that θ -tACS

compared to sham caused a reduced post-error slowing without determining speed-accuracy tradeoff through the increase of error responses. Interestingly, a recent EEG study (Valadez & Simons, 2017) showed a correlative link between MF θ and PES during the Flanker performance. In particular, greater MF θ power following error-trials was associated with less behavioral slowing. This result may confirm the functional role of midline frontal oscillations in behavioural adjustments (Valadez & Simons, 2017).

We speculate that the above modulation may have acted upon the information processing among cortical nodes, recruited for signaling the request of adaptive control, optimizing the neuronal excitability and communication, making the transmission faster and therefore more efficient. In this respect, although behavioural improvements were reported during online and offline θ -tACS protocols (Pahor et al., 2014; Jaušovec et al., 2014; Vosskuhl et al., 2015; Wischniewski et al., 2016), the underlying neurophysiological mechanisms associated with the modulation of neuronal oscillatory activity remain controversial. In two studies for example, it has been reported that after θ -tACS the performance in fluid intelligence (Pahor et al., 2014) and working memory (Vosskuhl et al., 2015) tasks improved and was accompanied respectively by spectral power and amplitude increment in the theta range. Conversely, Chander and colleagues (2016) showed that applying tACS at individual theta frequency over the medial frontoparietal network (one electrode at Fpz location and the second at Pz) interacted with the endogenous MF θ phase reducing its power and worsening the performance in a n-back task (Chander et al., 2016). Moreover, due to the bicephalic montage of electrodes adopted in the present study, we cannot exclude that the administration of alternating current in theta band may affect the activity of neuronal populations placed within the medial parietal cortex and involved in other cognitive processes or in the interregional communication within the frontoparietal network (Vissers et al., 2017). Indeed, studies have reported that after performing or observing an error, a positive event-related potential linked with error awareness -the so-called Positivity Error (Pe; Falkenstein et al., 2000; Overbeek et al., 2005; Panasiti et al., 2016)- peaks over the centro-parietal electrode (Pz). This electrocortical component

seems to be associated with tardive error processing and post-error strategy compensation (Nieuwenhuis et al., 2001; Hajcak et al., 2003). Recently, a reduced latency of Pe has been shown when participants perform behavioral correction (faster RTs) following errors during the resolution of a Flanker task with human faces as target and distractors (Navarro-Cebrian et al., 2016). Therefore, a secondary speculative interpretation might be that the error monitoring may have been affected by θ -tACS through the modulation of the functional fronto-parietal connectivity causing anomalous signal processing between cortical nodes engaged in post-error adjustment and thus altering the temporal slowing after error execution. It is note worth nothing that, following 10 minutes of bilateral θ -tACS of the dorsolateral prefrontal cortex, this cortical hub decreased nodal efficiency and the capability to functionally integrate with other brain regions (Onoda et al., 2017). However, such aftereffects were tested during resting state fMRI and further studies are needed to verify whether similar changes occur also during cognitive performances.

An interesting methodological approach could be the administration of theta phase and anti-phase stimulation between FCz and Pz, which may provide a useful strategy to synchronize or desynchronize respectively the local neuronal communication (Polanía et al., 2012).

Finally, the absence of simultaneous or post-stimulation co-registration with EEG/MEG represents a limitation of the present study that prevents us from inferring about the effectiveness of θ -tACS in modulating endogenous oscillations within the theta range. In this regard, it is strongly suggested that showing correlations between behavioral outcomes and electrocortical signals may serve as a good practice to develop tACS experiments (Antal et al., 2016).

Subjective reports of feelings induced by specific frequency band stimulation

The transcranial application of electric current can induce secondary effects mainly depending on the physical parameters (e.g. frequency) or methodological differences (e.g. electrode size). Although conspicuous (e.g. cutaneous discomfort or visual distortions) and potentially

confound-inducing effects (e.g. creation of perceptual bias; Fertonani et al., 2015), little attention has been paid to these phenomena thus far. For example, note the study in tACS at θ , α , β and γ range that was delivered over the visual cortex to explore the presence/absence and the strength of the phosphenes under conditions of light or darkness (Kanai et al., 2008). It appeared that α -tACS and β -tACS evoked most intense phosphenes in dark and light conditions respectively. Crucially, however, a subsequent study using a similar paradigm seems to demonstrate that the effects were related to the frontalis-vertex electrodes arrangement that caused a passage of the current in the retina rather than to the modulation of the primary visual cortex (Schutter et al., 2010).

In our study we found that α - and β -tACS elicited more sensorial phenomena respect to the other frequencies in a condition where the light of the room was reduced. This may hint at the critical issue of applying such bands for the frontal cortex modulation in paradigms where time-constraints stimulus-response sequences require visual processing and high accuracy. Nevertheless, our results clearly showed that the behavioral changes affected by θ -tACS did not depend on the secondary sensorial effects.

Conclusion

Delivering alternating current in theta band over the MFC in participants performing a choice task where errors were induced by elements of conflict, we have been able to demonstrate a reduction of the post-error slowing without any significant increase of errors. The behavioral modulation induced by band specific exogenous currents, paves the way to future applications of frontal θ -tACS for restoring oscillatory patterns that may be dysfunctional in conditions of impaired cognitive control (e.g. in Parkinson's Disease or in pathological gambling).

Acknowledgments

Funding: The study was supported by the Italian Ministry of University and Research (MIUR), PRIN grant (Progetti di Ricerca di Rilevante Interesse Nazionale, Edit. 671 2015, Prot. 20159CZFJK) to SMA and MS, from H2020-SESAR-2015-1 (MOTO: The embodied reMOte Tower, 672 Project Number 699379) to SMA, from Russian Science Foundation grant (contract number: 17-11-01273) to MF, from the International Foundation for Research in Paraplegia (IRP P164) and from the University of Verona (Bando di Ateneo per la Ricerca di Base 2015 project MOTOS: MOdulaTion Of peripersonal Space) to MS. We thank Miriam Celli for her help in collecting data.

Conflict of Interest

The authors certify that they have no affiliations with or involvement in any organization or entity with any financial interest in the subject matter or materials discussed in this manuscript.

Authors Contribution

GF and SMA designed the study; GF recorded the data; GF and MS analyzed the data; GF, MS, MF, EFP, SR and SMA discussed the results; GF, MS, and SMA drafted the manuscript.

Data Accessibility

The present data will be made publicly available upon request and is stored at the Department of Psychology, Sapienza University, Rome.

Abbreviations

Accuracy (Acc), Alternating Current (AC), Congruent Condition (CC), Electroencephalography (EEG), Error-related negativity (ERN), Event-Related Potentials (ERP), Incongruent Condition (IC), Mean Squared Error (MSE), Medial Frontal Cortex (MFC), Midfrontal Theta (MF Θ), Post-

Error Slowing (PES), Reaction Times (RTs), Speed-Accuracy Tradeoff (SAT), transcranial Alternating Current Stimulation (tACS).

References

Amodio, David M., et al. "Neurocognitive components of the behavioral inhibition and activation systems: Implications for theories of self-regulation." *Psychophysiology* 45.1 (2008): 11-19.

Antal, Andrea, and Walter Paulus. (2013) "Transcranial alternating current stimulation (tACS)." *Frontiers in human neuroscience* 7.

Bates, D., Maechler, M., Bolker, B., & Walker, S. (2014). lme4: Linear mixed-effects models using Eigen and S4. *R package version, 1(7)*.

Botvinick, M. M., Braver, T. S., Barch, D. M., Carter, C. S., & Cohen, J. D. (2001). Conflict monitoring and cognitive control. *Psychological review, 108(3)*, 624.

Carver, C. S., & White, T. L. (1994). Behavioral inhibition, behavioral activation, and affective responses to impending reward and punishment: The BIS/BAS Scales. *Journal of personality and social psychology, 67(2)*, 319.

Cavanagh, James F., Laura Zambrano-Vazquez, and John JB Allen. (2012) "Theta lingua franca: A common mid-frontal substrate for action monitoring processes." *Psychophysiology* 49.2: 220-238.

Cavanagh, James F., and Michael J. Frank. (2014) "Frontal theta as a mechanism for cognitive control." *Trends in cognitive sciences* 18.8: 414-421.

Cavanagh, J. F., & Shackman, A. J. (2015). Frontal midline theta reflects anxiety and cognitive control: meta-analytic evidence. *Journal of Physiology-Paris*, 109(1), 3-15.

Cohen, M. X., Ridderinkhof, K. R., Haupt, S., Elger, C. E., & Fell, J. (2008). Medial frontal cortex and response conflict: evidence from human intracranial EEG and medial frontal cortex lesion. *Brain research*, 1238, 127-142.

Cohen, Michael X. (2011) "Error-related medial frontal theta activity predicts cingulate-related structural connectivity." *Neuroimage* 55.3 1373-1383.

Cohen, Michael X., and Tobias H. Donner. (2013) "Midfrontal conflict-related theta-band power reflects neural oscillations that predict behavior." *Journal of Neurophysiology* 110.12: 2752-2763.

Cohen, M. X. (2014). A neural microcircuit for cognitive conflict detection and signaling. *Trends in neurosciences*, 37(9), 480-490.

Danielmeier, C., & Ullsperger, M. (2011). Post-error adjustments. *Frontiers in psychology*, 2, 233.

Efron, B., & Tibshirani, R. J. R. J. (1994). *An introduction to the bootstrap* (Vol. 57). CRC press.

Eriksen, Barbara A., and Charles W. Eriksen. (1974) "Effects of noise letters upon the identification of a target letter in a nonsearch task." *Perception & psychophysics* 16.1: 143-149

Falkenstein, M., Hohnsbein, J., Hoormann, J., & Blanke, L. (1991). Effects of crossmodal divided attention on late ERP components. II. Error processing in choice reaction tasks. *Electroencephalography and clinical neurophysiology*, 78(6), 447-455.

Falkenstein, M., Hoormann, J., Christ, S., & Hohnsbein, J. (2000). ERP components on reaction errors and their functional significance: a tutorial. *Biological psychology*, 51(2), 87-107.

Fertonani, A., Ferrari, C., & Miniussi, C. (2015). What do you feel if I apply transcranial electric stimulation? Safety, sensations and secondary induced effects. *Clinical Neurophysiology*, 126(11), 2181-2188.

Feurra, M., Paulus, W., Walsh, V., & Kanai, R. (2011). Frequency specific modulation of human somatosensory cortex. *Frontiers in psychology*, 2, 13.

Feurra, M., Bianco, G., Santarnecchi, E., Del Testa, M., Rossi, A., & Rossi, S. (2011b). Frequency-dependent tuning of the human motor system induced by transcranial oscillatory potentials. *Journal of Neuroscience*, 31(34), 12165-12170.

Gehring, W. J., Goss, B., Coles, M. G., Meyer, D. E., & Donchin, E. (1993). A neural system for error detection and compensation. *Psychological science*, 4(6), 385-390.

Gehring, W. J., Liu, Y., Orr, J. M., & Carp, J. (2012). The error-related negativity (ERN/Ne). *Oxford handbook of event-related potential components*, 231-291.

Gratton, G., Coles, M. G., & Donchin, E. (1992). Optimizing the use of information: strategic control of activation of responses. *Journal of Experimental Psychology: General*, 121(4), 480.

Hajcak, G., McDonald, N., & Simons, R. F. (2003). To err is autonomic: Error-related brain potentials, ANS activity, and post-error compensatory behavior. *Psychophysiology*, *40*(6), 895-903.

Hayward, Gail, Guy M. Goodwin, and Catherine J. Harmer. (2004) "The role of the anterior cingulate cortex in the counting Stroop task." *Experimental brain research* 154.3: 355-358.

Heitz, R. P., & Schall, J. D. (2012). Neural mechanisms of speed-accuracy tradeoff. *Neuron*, *76*(3), 616-628.

Helfrich, R. F., Schneider, T. R., Rach, S., Trautmann-Lengsfeld, S. A., Engel, A. K., & Herrmann, C. S. (2014). Entrainment of brain oscillations by transcranial alternating current stimulation. *Current Biology*, *24*(3), 333-339.

Herrmann, C. S., Rach, S., Neuling, T., & Strüber, D. (2013). Transcranial alternating current stimulation: a review of the underlying mechanisms and modulation of cognitive processes. *Frontiers in human neuroscience*, *7*.

Holroyd, C. B., & Coles, M. G. (2002). The neural basis of human error processing: reinforcement learning, dopamine, and the error-related negativity. *Psychological review*, *109*(4), 679.

Kanai, Ryota, et al. (2008) "Frequency-dependent electrical stimulation of the visual cortex." *Current Biology* 18.23: 1839-1843.

Luu, Phan, Don M. Tucker, and Scott Makeig. (2004) "Frontal midline theta and the error-related negativity: neurophysiological mechanisms of action regulation." *Clinical Neurophysiology* 115.8: 1821-1835.

Navarro-Cebrian, A., Knight, R. T., & Kayser, A. S. (2016). Frontal monitoring and parietal evidence: Mechanisms of error correction. *Journal of cognitive neuroscience*.

Nigbur, R., Ivanova, G., & Stürmer, B. (2011). Theta power as a marker for cognitive interference. *Clinical Neurophysiology*, 122(11), 2185-2194.

Nieuwenhuis, S., Ridderinkhof, K. R., Blom, J., Band, G. P., & Kok, A. (2001). Error-related brain potentials are differentially related to awareness of response errors: Evidence from an antisaccade task. *Psychophysiology*, 38(5), 752-760.

Nitsche, M. A., Cohen, L. G., Wassermann, E. M., Priori, A., Lang, N., Antal, A., ... & Pascual-Leone, A. (2008). Transcranial direct current stimulation: state of the art 2008. *Brain stimulation*, 1(3), 206-223.

Oldfield RC (1971) The assessment and analysis of handedness: the Edinburgh inventory. *Neuropsychologia* 9, 97–113

Overbeek, T. J., Nieuwenhuis, S., & Ridderinkhof, K. R. (2005). Dissociable components of error processing: on the functional significance of the Pe vis-à-vis the ERN/Ne. *Journal of Psychophysiology*, 19(4), 319-329.

Panasiti, M. S., Pavone, E. F., & Aglioti, S. M. (2016). Electrocortical signatures of detecting errors in the actions of others: An EEG study in pianists, non-pianist musicians and musically naïve people. *Neuroscience*, *318*, 104-113.

Paulus, Walter. "Transcranial electrical stimulation (tES–tDCS; tRNS, tACS) methods. (2011) "*Neuropsychological rehabilitation* 21.5: 602-617.

Pavone, E. F., Tieri, G., Rizza, G., Tidoni, E., Grisoni, L., & Aglioti, S. M. (2016). Embodying others in immersive virtual reality: electro-cortical signatures of monitoring the errors in the actions of an avatar seen from a first-person perspective. *The Journal of Neuroscience*, *36*(2), 268-279.

Pezzetta, R., Nicolardi, V., Tidoni, E., Aglioti S.M., (2018). Error, rather than its probability, elicits specific electrocortical signatures: a combined EEG-immersive virtual reality study of action observation. *Journal of Neurophysiology* (under review).

Polanía, R., Nitsche, M. A., Korman, C., Batsikadze, G., & Paulus, W. (2012). The importance of timing in segregated theta phase-coupling for cognitive performance. *Current Biology*, *22*(14), 1314-1318.

Ponsi, G., Panasiti, M. S., Scandola, M., & Aglioti, S. M. (2016). Influence of warmth and competence on the promotion of safe in-group selection: Stereotype content model and social categorization of faces. *The Quarterly Journal of Experimental Psychology*, *69*(8), 1464–1479.

Rabbitt, P. M. A., & Rogers, B. (1977). What does man do after he makes an error? an analysis of response programming. *Quarterly Journal of Experimental Psychology*, *29*, 727–743.

Raghavachari, S., Lisman, J. E., Tully, M., Madsen, J. R., Bromfield, E. B., & Kahana, M. J. (2006). Theta oscillations in human cortex during a working-memory task: evidence for local generators. *Journal of Neurophysiology*, 95(3), 1630-1638.

Rahnev, D., Nee, D. E., Riddle, J., Larson, A. S., & D'Esposito, M. (2016). Causal evidence for frontal cortex organization for perceptual decision making. *Proceedings of the National Academy of Sciences*, 113(21), 6059-6064.

Reinhart, R. M., & Woodman, G. F. (2014). Causal control of medial–frontal cortex governs electrophysiological and behavioral indices of performance monitoring and learning. *Journal of Neuroscience*, 34(12), 4214-4227.

Ridderinkhof, K. Richard, et al. (2004) "The role of the medial frontal cortex in cognitive control." *science* 306.5695: 443-447.

Roets, A., & Van Hiel, A. (2011). Item selection and validation of a brief, 15-item version of the Need for Closure Scale. *Personality and Individual Differences*, 50(1), 90-94.

Rossi, S., Hallett, M., Rossini, P. M., Pascual-Leone, A., & Safety of TMS Consensus Group. (2009). Safety, ethical considerations, and application guidelines for the use of transcranial magnetic stimulation in clinical practice and research. *Clinical neurophysiology*, 120(12), 2008-2039.

Rushworth, M. F. S., S. W. Kennerley, and M. E. Walton. (2005): "Cognitive neuroscience: resolving conflict in and over the medial frontal cortex." *Current Biology* 15.2 R54-R56.

Santarneccchi, Emiliano, et al. (2013) "Frequency-dependent enhancement of fluid intelligence induced by transcranial oscillatory potentials." *Current Biology* 23.15: 1449-1453.

Santarneccchi, E., Muller, T., Rossi, S., Sarkar, A., Polizzotto, N. R., Rossi, A., & Kadosh, R. C. (2016). Individual differences and specificity of prefrontal gamma frequency-tACS on fluid intelligence capabilities. *Cortex*, 75, 33-43.

Santarneccchi, E., Biasella, A., Tatti, E., Rossi, A., Prattichizzo, D., & Rossi, S. (2017). High-gamma oscillations in the motor cortex during visuo-motor coordination: A tACS interferential study. *Brain Research Bulletin*, 131, 47-54.

Schutter, D. J., & Hortensius, R. (2010). Retinal origin of phosphenes to transcranial alternating current stimulation. *Clinical Neurophysiology*, 121(7), 1080-1084.

Sela, Tal, Adi Kilim, and Michal Lavidor. "Transcranial alternating current stimulation increases risk-taking behavior in the balloon analog risk task." *Frontiers in neuroscience* 6 (2012).

Solomon, E. A., Kragel, J. E., Sperling, M. R., Sharan, A., Worrell, G., Kucewicz, M., ... & Jobst, B. C. (2017). Widespread theta synchrony and high-frequency desynchronization underlies enhanced cognition. *Nature communications*, 8(1), 1704.

Spielberger, C. D. (2010). *State-Trait anxiety inventory*. John Wiley & Sons, Inc.

Spinelli, G., Tieri, G., Pavone, E. F., & Aglioti, S. M. (2018). Wronger than wrong: graded mapping of the errors of an avatar in the performance monitoring system of the onlooker. *NeuroImage*, 167, 1-10.

Taylor, Stephan F., Emily R. Stern, and William J. Gehring. (2007): "Neural Systems for Error Monitoring Recent Findings and Theoretical Perspectives." *The Neuroscientist* 13.2 160-172.

Trujillo, L. T., & Allen, J. J. (2007). Theta EEG dynamics of the error-related negativity. *Clinical Neurophysiology*, 118(3), 645-668.

Ullsperger, M., & von Cramon, D. Y. (2001). Subprocesses of performance monitoring: a dissociation of error processing and response competition revealed by event-related fMRI and ERPs. *Neuroimage*, 14(6), 1387-1401.

Valadez, E. A., & Simons, R. F. (2018). The power of frontal midline theta and post-error slowing to predict performance recovery: Evidence for compensatory mechanisms. *Psychophysiology*, 55(4), e13010.

van Driel, J., Sligte, I. G., Linders, J., Elport, D., & Cohen, M. X. (2015). Frequency band-specific electrical brain stimulation modulates cognitive control processes. *PloS one*, 10(9), e0138984.

van Noordt, S. J., Campopiano, A., & Segalowitz, S. J. (2016). A functional classification of medial frontal negativity ERPs: Theta oscillations and single subject effects. *Psychophysiology*, 53(9), 1317-1334.

Vissers, M. E., Ridderinkhof, K. R., Cohen, M. X., & Slagter, H. A. (2018). Oscillatory Mechanisms of Response Conflict Elicited by Color and Motion Direction: An Individual Differences Approach. *Journal of cognitive neuroscience*, 30(4), 468-481.

Vosskuhl, J., Huster, R. J., & Herrmann, C. S. (2015). Increase in short-term memory capacity induced by down-regulating individual theta frequency via transcranial alternating current stimulation. *Frontiers in human neuroscience*, 9.

Wischnewski, M., Zerr, P., & Schutter, D. J. (2016). Effects of Theta Transcranial Alternating Current Stimulation Over the Frontal Cortex on Reversal Learning. *Brain stimulation*, 9(5), 705-711.

Yeung, N., Botvinick, M. M., & Cohen, J. D. (2004). The neural basis of error detection: conflict monitoring and the error-related negativity. *Psychological review*, 111(4), 931.

Tables

Table 1. P-values of the covariance analyses between the dependent variables of the performance (reaction times RTs, accuracy Acc, speed-accuracy tradeoff SAT, post- error slowing PES) and the subjective scores of the personality questionnaires (*State-Trait Anxiety Inventory Form Y*, STAI-Y;; *Behavioral Inhibition and Activation Scales*, BIS/BAS; *Need for Closure Scale*, NCC).

Table 1

Performance Variable	Personality Questionnaires		
	BISBAS	STAI	NCC
RTs	P = 0.609	P = 0.632	P = 0.789
Acc	P = 0.415	P = 0.570	P = 0.640
tradeoff	P = 0.435	P = 0.988	P = 0.838
PES	P = 0.277	P = 0.283	P = 0.199






Figures

Figure 1. Example of congruent and incongruent stimuli (1A) presented during the Flanker task. (1B) Timeline of a single trial: a fixation cross appeared for 1000msec at the beginning of the trial and was followed by 80 msec of stimulus presentation. The allowed response window was 920 msec and if the response was not provided within 500 msec, the audio feedback (beep sound) was delivered to stress participants in increasing the speed. A visual feedback presented for 1000msec was screened in case of miss answer. (1C) Block structure and period of stimulation or sham. (1D) Electrodes' location for the transcranial alternating current stimulation. Electrode 1 ("active") was placed over FCz and Electrode 2 ("return") over Pz (10-20 International System).

Figure 2. Main effect of the difference between theta (θ) -tACS and sham in the post-error slowing (PES) for congruent stimuli following errors (Bonferroni post-hoc correction: $P=0.042$). Delta δ , Alpha α , Beta β and Gamma γ did not differ from the sham condition (all $P>0.1$)

Figure 1






Figure 2

